















Cypresvej 24B 7400 Herning tlf 9713 7370
Reserve dele Benekov PL 27

	Vare nr	Vægt	Salgspris ekskl. moms	Salgspris inkl. Moms	
Body of the boiler					
Door holder	1106205000		50	63	
Thermostat basin 1/2"	67306	0,06	52	65	
Conductor of temperature sensor – sp	71415	0,02	54	68	
Burner					
Retort for wooden pellets, grain	1308221300	7,8	58	73	

Boiler sealant black	71404	0,71	60	75	
			62	78	
Fire grate pellets - L25, PL27, R25, L5	1308213701	4	64	80	
Fire grate grain 3 - L25, PL27, R25, L5	1107238001	4	66	83	
Secondary air pipe grain 3/PL 27 - Rig	1107237600	1,2	68	85	
Secondary air pipe grain 3/PL 27 - Lefi	1107237700	1,2	70	88	
Fire grate - Grain I.	1308216600	6,64	72	90	
Secondary air pipe - Grain I. - 1 pcs.	1308216700	0,22	74	93	
Secondary air pipe - Grain II. - 1 pcs	1107234500	0,22	76	95	

78 98

Cleaning door of air mixer - metal plate 1106202303 0,3 80 100




Insulation of the cleaning door of air m 1106202304 0,02 82 103




Insulation of the cleaning door of air m 1106204600 0,02 84 105




Fire grate - coal 1106202305 5 86 108



Metal net for wooden pieces burning - 1308215400 7,8 88 110



Ceramics PEL 27 - standard 1308215332 7,5 90 113










Lower part of reflector Grain 3/PL 27 1308261301 13,83 92 115



Upper part of reflector Grain 3/PL 27 1308261302 7,41 94 118



Inner side part of reflector Grain 3/PL	1308261303	5,85	96	120	
Outer side part of reflector Grain 3/PL	1308261304	2,36	98	123	
Ceramics "half-ring" 310-60	1308215323	1,55	100	125	
Ceramics "bird house"	1106202804	4,68	102	128	
Ceramics "half ring" 240-60	1308215324	1,3	104	130	
			106	133	
Feeding mechanism			108	135	
Feeding mechanism wooden pellets P	1308216200		110	138	
Worm conveyor wooden pellets VL 25	1106214000	3,72	112	140	

Worm conveyor wooden pellets VL 25	1106238600	3,72	114	143
------------------------------------	------------	------	-----	-----



Stainless steel liner VL 25	1106203100	1,3	116	145
-----------------------------	------------	-----	-----	-----



Engine PEL27/S	56026	13	118	148
----------------	-------	----	-----	-----

Bedding of engine PEL27	1308214100	4	120	150
-------------------------	------------	---	-----	-----




Clutch	1308214200	1,1	122	153
--------	------------	-----	-----	-----



			124	155
--	--	--	-----	-----

Cover of the clutch	1106203201	0,41	126	158
---------------------	------------	------	-----	-----


















Safety pin 3,2x40	67302	0,002	128	160
-------------------	-------	-------	-----	-----





Adjusting shim average 14-30	1106203202	0,02	130	163
------------------------------	------------	------	-----	-----



Support ring average 84-10	1106203203	0,11	132	165	
Cover of worm filling	1106203204	0,07	134	168	
Worm filling	1106203205	0,01	136	170	
Bearing YET 205	71447	0,2	138	173	
Fuel bin			140	175	
Top lid of the fuel bin	1308218300	6,9	142	178	
Insulation of the top lid of the fuel bin	1308214811	1,72	144	180	
Cover of the cleaning door of the fuel t	1308214809	0,36	146	183	
Insulation of the cleaning door of the fu	1308214810	0,09	148	185	

Lock of the top lid complete	1106204800	0,48	150	188	
Limit switch XCKA-121	55020		152	190	
Gas arm of the top lid	71452		154	193	
Lukoprén S 9780	71435	0,05	156	195	
			158	198	
Sprinkler system			160	200	
Wrecking fire-extinguishing equipment	1107220400	1	162	203	
Water can 15 liters	1107220401	0,6	164	205	
Water can carrier	1107220403	0,36	166	208	


Thermal link	1106206100	0,05	168	210	
Expansion tank INTERVAREM LS19, :	71498		170	213	
Tee point TE 90° with inner screw	71546		172	215	
Reduction with inner and outer screw	71523		174	218	
Thermostatic valve DUCO TSK 3/4" R	71499		176	220	
Nipple with outer screws 3/4" - 2 Pcs.	71524		178	223	
Clack valve 3/4"	71526		180	225	
Brass overfall 1/2"	71513		182	228	
			184	230	


Pressure tube for sprinkler system	71512		186	233	
------------------------------------	-------	--	-----	-----	--


			188	235	
--	--	--	-----	-----	--


Door


			190	238	
--	--	--	-----	-----	--


Upper door	1106204400	9,35	192	240	
------------	------------	------	-----	-----	---








Sealing rope of the upper door	1106204404	0,37	194	243	
--------------------------------	------------	------	-----	-----	---










Insulation of the body of the upper door	1106204402	0,23	196	245	
--	------------	------	-----	-----	---


Insulation of the cover of the upper door	1106204403	0,53	198	248	
---	------------	------	-----	-----	---


Comaxite cover of upper door	1106204401	1,52	200	250	
------------------------------	------------	------	-----	-----	---


Lock of the door complete	1106204500	0,57	202	253	
---------------------------	------------	------	-----	-----	--


Plastic knob	71402	0,03	204	255	
Lower door	1106204300	10,72	206	258	
Comaxite cover of lower door	1106204301	1,7	208	260	
Sealing rope of the lower door	1106204304	0,4	210	263	
Insulation of the body of the lower door	1106204302	0,28	212	265	
Insulation of the cover of the lower door	1106204303	0,63	214	268	
Lower door with a slot for deashing II	3002254000	10,3	216	270	
			218	273	
Cover of the boiler			220	275	

Front cover PEL 27 - complete	1308218700	4,5	222	278	
Insulation front cover PEL 27	1308215307	0,31	224	280	
Right cover, right version PEL 27	1308215303	4,6	226	283	
Insulation of the right cover, right versi	1308215310	1,44	228	285	
Left cover, right version PEL 27	1308215302	5,13	230	288	
Insulation left cover, right version PEL	1308215309	1,63	232	290	
Insulation of the back cover PEL 27	1308215311	0,96	234	293	
Right cover, left version PEL 27	1308216002	5,13	236	295	
Left cover, left version PEL 27	1308216001	4,6	238	298	


Back cover, left version PEL 27	1308216003	3,07	240	300	
---------------------------------	------------	------	-----	-----	--

Insulation of the back cover PEL 27	1308215311	0,96	242	303	
-------------------------------------	------------	------	-----	-----	--


Top cover PEL 27	1308237000	2,14	244	305	
------------------	------------	------	-----	-----	--


Back part of the front panel PEL 27	1308215313		246	308	
-------------------------------------	------------	--	-----	-----	--

TM Regulator support panel for Pelling	1308218704	1,5	248	310	
--	------------	-----	-----	-----	--









Self adhesive cabel-catch	55004	0,005	250	313	
---------------------------	-------	-------	-----	-----	--








Electronics			252	315	
--------------------	--	--	-----	-----	--








RKU 1 Denmark	51007		254	318	
---------------	-------	--	-----	-----	---




RKU 1 Sweden	51009		256	320	
--------------	-------	--	-----	-----	---

RKU 3 Great Britain	51013	258	323	
RKU 3 Czech Republic	51014	260	325	
RKU 3 Denmark	51015	262	328	
RKU 3 France	51016	264	330	
RKU 3 Sweden	51019	266	333	
RKU 1 Czech Republic	51020	268	335	
RKU 1 Russia	51022	270	338	
RKU 3 Germany	51034	272	340	
RKU 3 Russia	51047	274	343	

Microprocessor board RKU 1	51002		276	345	
Temperature sensor PT 1000	55026		278	348	
Sensor KTY	55073	0,3	280	350	
Mikroprocessor board RKU 3	51003		282	353	
Chipset RKU 1	51053	0,02	284	355	
Chipset RKU 3	51049	0,02	286	358	
Plastic union 1/2"x40 for (RKU)	1106206005	0,1	288	360	
Plastic nippel RKU	1106206006	0,15	290	363	
Gear engine MRT-28-30xMRT-50-30	56003	9,5	292	365	

Ventilator ES 30 – 98 GR	52006	0,8	294	368	
Cover of the ventilator ES 30 - 98 GR	52001	0,12	296	370	
Choke of the ventilator ES 30 - 98 GR	1106206400	0,08	298	373	
Ventilator RATAS 3135	52008	1,6	300	375	
Condenser MKP - 1,5mF/400VAC	55009	0,01	302	378	
Emergency thermoregulator STB/83 T	53009	0,3	304	380	
Condenser TC 853 mkp-3mikroF	55041	0,2	306	383	
Damping valve of the Blower RATAS €	1308216900	0,52	308	385	
Damping valve of the Blower RATAS €	1308238300	0,52	310	388	

				312	390	
Other				314	393	
Boiler brush complete	1106206300			316	395	
Ending of the boiler brush	71417			318	398	
Stick for boiler brush	1106229600			320	400	
Ashpan PEL27 - grain, right version	1308238100	2,6		322	403	
Ashpan PEL 27 - grain, left version	1308238200	2,6		324	405	
Male-screw with cylindric head and intr	63101	0,1		326	408	
Jet of the ingition PEL 27	3001231600	0,2		328	410	

Ignitiontube R15	3001231900	0,2	330	413	
Engine of the ash remover 200l	3002252503	7	332	415	
Worm spindle of the horizontal ash rer	3002254500	3,5	334	418	
Trough of the ash remover PEL27 II	3002254300	8	336	420	
Grubstick	1308218600	3,5	338	423	
			340	425	
Temperature sensor REGMET MA43F	78130	0,2	342	428	
Silicone cable 3x0,75 SIHF (1m)	54004	0,2	344	430	
Silicone cable 5x0,75 SIHF (1m)	54005	0,2	346	433	

Extension of a 2polar connector ADEL	55054	0,1	348	435
--------------------------------------	-------	-----	-----	-----

Socket of a 2pollar connector ADELS ,	55055	0,1	350	438
---------------------------------------	-------	-----	-----	-----

Cover of a 2pollar connector ADELS A	55056	0,1	352	440
--------------------------------------	-------	-----	-----	-----

Extension of a 3polar connector ADEL	55057	0,1	354	443
--------------------------------------	-------	-----	-----	-----

Socket of a 3pollar connector ADELS ,	55058	0,1	356	445
---------------------------------------	-------	-----	-----	-----


Cover of a 3pollar connector ADELS A	55059	0,1	358	448
--------------------------------------	-------	-----	-----	-----

Extension of a 5polar connector ADEL	55060	0,1	360	450
--------------------------------------	-------	-----	-----	-----

Socket of a 5pollar connector ADELS ,	55061	0,1	362	453
---------------------------------------	-------	-----	-----	-----

Cover of a 5pollar connector ADELS A	55062	0,1	364	455
--------------------------------------	-------	-----	-----	-----

Extension of a 4polar connector ADEL	55064	0,1	366	458
Socket of a 4pollar connector ADELS .	55065	0,1	368	460
Cover of a 4pollar connector ADELS A	55066	0,1	370	463
End piece of a plastic list for the cable:	71547	0,2	372	465
Plastic list for cables (1m)	1309241305	0,4	374	468
Bushing with the membrane SR 1705-	55067	0,1	376	470
Connector support panel	1309241303	0,6	378	473
Ashpan PEL 27 standard	1308214500	1,54	380	475
			382	478




Pneumatic sucking device384 480

Sucking ventilator LAMB ELEKTRIC 1

52003

386

483



Fuel level sensor

55051

388

485



PDP Control box

51057

390

488



Cyclone 30 l

3004251500

392

490



Midst receiver for the PDP1 - big (full)

3004251400

12

394

493



Lid of Cyclone

3004250000

396

495



Cyclone 10 l

3004249900

10

398

498



Midst receiver for the PDP1 - small (fu








3004249800

11

400

500



Ventilator box	3004251100	402	503	
Lid of ventilator box	3004251200	404	505	
Antistatic pipe 1 meter	3004249403	406	508	
Sucking head	3004249500	408	510	
BELIMO engine	56013	410	513	
Closing valve	3004250300	412	515	
Flange	3004250900	414	518	
Clamp 80 mm	71507	416	520	